



Element  
Suite 100, 328 Ley Road  
Fort Wayne, Indiana  
46825, United States

T: +1 (260) 471-7000  
F: +1  
E: Info.FortWayne@element.com  
W: www.element.com

March 10, 2023

Aija Putelis  
120 Water Audit  
PO Box 604  
ZIONSVILLE, IN 46077

RE: 1994: Children's Academy

Dear Aija Putelis:

Lot Id: 141420

Element Materials Technology – Fort Wayne received 101 sample(s) on 2/24/2023 for the analyses presented in the following report.

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Megan Krauskopf  
Project Manager  
Suite 100, 328 Ley Road,  
Fort Wayne, IN 46825

**Accreditation**

TNI:2016 (Florida)  
ISO 17025:2017 (A2LA)  
Indiana - Fort Wayne  
Indiana - Columbus  
Indiana - South Bend  
Michigan  
South Dakota  
Tennessee

**Cert #**

E871168  
6190.02  
M-02-05  
M-03-02  
M-71-02  
9030  
--  
04911

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
141420-1	101 Initial	2023-02-18 08:07	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.25	µg/L	1	0.20			Mar 09, 2023 05:09	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
141420-2	102 Initial	2023-02-18 08:07	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.59	µg/L	1	0.20			Mar 09, 2023 05:09	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
141420-3	103 Initial	2023-02-18 08:08	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.42	µg/L	1	0.20			Mar 09, 2023 05:09	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
141420-4	103 Flush	2023-02-18 08:09	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.80	µg/L	1	0.20			Mar 09, 2023 05:09	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
141420-5	104 Initial	2023-02-18 08:09	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.99	µg/L	1	0.20			Mar 09, 2023 05:09	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
141420-6	105 Initial	2023-02-18 08:10	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L	1	0.20			Mar 09, 2023 05:09	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-7	106 Initial	2023-02-18 08:11	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.32	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-8	106 Flush	2023-02-18 08:11	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.39	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-9	107 Initial	2023-02-18 08:13	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-10	107 Flush	2023-02-18 08:13	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-11	108 Initial	2023-02-18 08:16	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.41	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-12	109 Initial	2023-02-18 08:17	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	8.98	µg/L	1	0.20	Mar 09, 2023 05:09	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-13	110 Initial	2023-02-18 08:19	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.98	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-14	110 Flush	2023-02-18 08:19	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.99	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-15	111 Initial	2023-02-18 08:20	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	8.74	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-16	111 Flush	2023-02-18 08:21	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.19	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-17	112 Initial	2023-02-18 08:22	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	8.68	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
141420-18	112 Flush	2023-02-18 08:22	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.21	µg/L	1	0.20	Mar 09, 2023 05:09	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-19	113 Initial	2023-02-18 08:23	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.44	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-20	114 Initial	2023-02-18 08:24	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.44	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-21	115 Initial	2023-02-18 08:25	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.80	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-22	116 Initial	2023-02-18 08:27	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.12	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-23	116 Flush	2023-02-18 08:27	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.03	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-24	117 Initial	2023-02-18 08:28	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.35	µg/L	1	0.20	Mar 09, 2023 05:09	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-25	118 Initial	2023-02-18 08:28	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.81	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-26	119 Initial	2023-02-18 08:29	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.76	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-27	120 Initial	2023-02-18 08:30	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-28	121 Initial	2023-02-18 08:30	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.26	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-29	122 Initial	2023-02-18 08:31	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.23	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-30	123 Initial	2023-02-18 08:31	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.22	µg/L	1	0.20	Mar 09, 2023 05:09	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-31	124 Initial	2023-02-18 08:32	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.30	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-32	126 Initial	2023-02-18 08:33	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	4.67	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-33	126 Flush	2023-02-18 08:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.60	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-34	127 Initial	2023-02-18 08:36	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-35	128 Initial	2023-02-18 08:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.63	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-36	128 Flush	2023-02-18 08:38	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.33	µg/L	1	0.20	Mar 09, 2023 05:09	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
141420-37	129 Initial	2023-02-18 08:39	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	2.02	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-38	130 Initial	2023-02-18 08:40	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.46	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-39	130 Flush	2023-02-18 08:41	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.36	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-40	131 Initial	2023-02-18 08:42	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.51	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-41	131 Flush	2023-02-18 08:43	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-42	132 Initial	2023-02-18 08:45	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Mar 09, 2023 05:09	FR



## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
141420-43	133 Initial	2023-02-18 08:46	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.84	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-44	133 Flush	2023-02-18 08:47	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	26.5	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-45	134 Initial	2023-02-18 08:48	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.32	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-46	135 Initial	2023-02-18 08:49	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.83	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-47	135 Flush	2023-02-18 08:50	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	5.75	µg/L			1	0.20	Mar 09, 2023 05:09	FR
141420-48	136 Initial	2023-02-18 08:51	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.32	µg/L			1	0.20	Mar 09, 2023 05:09	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-49	137 Initial	2023-02-18 08:52	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.44	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-50	137 Flush	2023-02-18 08:53	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.42	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-51	138 Initial	2023-02-18 08:55	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.60	µg/L	1	0.20	Mar 09, 2023 05:09	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-52	138 Flush	2023-02-18 08:55	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.74	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-53	139 Initial	2023-02-18 08:57	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-54	139 Flush	2023-02-18 08:58	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-55	140 Initial	2023-02-18 08:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.57	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-56	141 Initial	2023-02-18 09:01	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.47	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-57	141 Flush	2023-02-18 09:02	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-58	142 Initial	2023-02-18 09:03	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.85	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-59	143 Initial	2023-02-18 09:04	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.29	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-60	143 Flush	2023-02-18 09:05	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.30	µg/L	1	0.20	Mar 09, 2023 05:10	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-61	144 Initial	2023-02-18 09:09	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.24	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-62	145 Initial	2023-02-18 09:10	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.97	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-63	145 Flush	2023-02-18 09:10	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.95	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-64	146 Initial	2023-02-18 09:13	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.84	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-65	146 Flush	2023-02-18 09:13	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.42	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-66	147 Initial	2023-02-18 09:15	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.81	µg/L	1	0.20	Mar 09, 2023 05:10	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
141420-67	147 Flush	2023-02-18 09:16	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.37	µg/L			1	0.20	Mar 09, 2023 05:10	FR
141420-68	148 Initial	2023-02-18 09:17	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.13	µg/L			1	0.20	Mar 09, 2023 05:10	FR
141420-69	148 Flush	2023-02-18 09:18	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Mar 09, 2023 05:10	FR
141420-70	149 Initial	2023-02-18 09:20	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Mar 09, 2023 05:10	FR
141420-71	150 Initial	2023-02-18 09:21	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	3.00	µg/L			1	0.20	Mar 09, 2023 05:10	FR
141420-72	150 Flush	2023-02-18 09:21	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.37	µg/L			1	0.20	Mar 09, 2023 05:10	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-73	151 Initial	2023-02-18 09:23	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	3.05	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-74	151 Flush	2023-02-18 09:24	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.43	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-75	152 Initial	2023-02-18 09:25	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.61	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-76	152 Flush	2023-02-18 09:25	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.31	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-77	153 Initial	2023-02-18 09:30	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	3.74	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-78	153 Flush	2023-02-18 09:31	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.56	µg/L	1	0.20	Mar 09, 2023 05:10	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-79	154 Initial	2023-02-18 09:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	4.39	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-80	154 Flush	2023-02-18 09:35	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.79	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-81	155 Initial	2023-02-18 09:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	7.39	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-82	155 Flush	2023-02-18 09:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.62	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-83	156 Initial	2023-02-18 09:38	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.35	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-84	156 Flush	2023-02-18 09:39	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-85	157 Initial	2023-02-18 09:40	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.68	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-86	157 Flush	2023-02-18 09:41	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-87	158 Initial	2023-02-18 09:42	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.53	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-88	158 Flush	2023-02-18 09:43	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-89	159 Initial	2023-02-18 09:44	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-90	160 Initial	2023-02-18 09:44	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.27	µg/L	1	0.20	Mar 09, 2023 05:10	FR	



## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
141420-91	161 Initial	2023-02-18 09:45	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.26	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
141420-92	162 Initial	2023-02-18 09:45	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
141420-93	163 Initial	2023-02-18 09:46	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.79	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
141420-94	164 Initial	2023-02-18 09:47	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.06	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
141420-95	165 Initial	2023-02-18 09:47	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.23	µg/L	1	0.20	Mar 09, 2023 05:10	FR	
141420-96	166 Initial	2023-02-18 09:48	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.36	µg/L	1	0.20	Mar 09, 2023 05:10	FR	

### Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

<b>Reference Number</b> 141420-97	<b>Sample Date</b> 2023-02-18 09:48
<b>Sample Description</b> 166 Flush	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR

<b>Reference Number</b> 141420-98	<b>Sample Date</b> 2023-02-18 09:50
<b>Sample Description</b> 167 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.36	µg/L	1	0.20	Mar 09, 2023 05:10	FR

<b>Reference Number</b> 141420-99	<b>Sample Date</b> 2023-02-18 09:51
<b>Sample Description</b> 167 Flush	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Mar 09, 2023 05:10	FR

<b>Reference Number</b> 141420-100	<b>Sample Date</b> 2023-02-18 09:53
<b>Sample Description</b> 168 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.69	µg/L	1	0.20	Mar 09, 2023 05:10	FR

<b>Reference Number</b> 141420-101	<b>Sample Date</b> 2023-02-18 09:54
<b>Sample Description</b> 168 Flush	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.46	µg/L	1	0.20	Mar 09, 2023 05:10	FR

Approved by:   
Megan Krauskopf  
Project Manager

### Methodology and Notes

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1994: Children's Academy	Lot ID: <b>141420</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Feb 24, 2023
Company:	LSD:	Date Reported: Mar 10, 2023
	P.O.: IFA_LIF_2019	Report Number: 242204
	Proj. Acct. code:	

### Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Mar 9, 2023	Fort Wayne
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Mar 9, 2023	Fort Wayne

### References

EPA United States Environmental Protection Agency

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.