



Element
Suite 100, 328 Ley Road
Fort Wayne, Indiana
46825, United States

T: +1 (260) 471-7000
F: +1
E: Info.FortWayne@element.com
W: www.element.com

May 2, 2023

Aija Putelis
120 Water Audit
PO Box 604
ZIONSVILLE, IN 46077

RE: 1937: Scribner Middle School

Dear Aija Putelis:

Lot Id: 146833

Element Materials Technology – Fort Wayne received 212 sample(s) on 4/19/2023 for the analyses presented in the following report.

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Megan Krauskopf
Project Manager
Suite 100, 328 Ley Road,
Fort Wayne, IN 46825

Accreditation

TNI:2016 (Florida)
ISO 17025:2017 (A2LA)
Indiana – Fort Wayne
Indiana – Fort Wayne
Indiana – Columbus
Indiana – South Bend

Cert #

E871168
6190.02
C-02-03
M-02-05
M-03-02
M-71-02

Accreditation

Louisiana
Michigan
South Dakota
Tennessee

Cert #

235913
9030
--
04911

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials
146833-1	101 Initial	2023-04-15 10:28	Drinking Water		
Analyte	Result	Units	Qal	DF	Nominal DL
Metals - Total in Water by ICP-MS					
Lead	Total	<0.20	µg/L	1	0.20
					Apr 26, 2023 12:26 FR

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials
146833-2	102 Initial	2023-04-15 10:28	Drinking Water		
Analyte	Result	Units	Qal	DF	Nominal DL
Metals - Total in Water by ICP-MS					
Lead	Total	<0.20	µg/L	1	0.20
					Apr 26, 2023 12:26 FR

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials
146833-3	103 Initial	2023-04-15 10:29	Drinking Water		
Analyte	Result	Units	Qal	DF	Nominal DL
Metals - Total in Water by ICP-MS					
Lead	Total	<0.20	µg/L	1	0.20
					Apr 26, 2023 12:26 FR

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials
146833-4	105 Initial	2023-04-15 10:31	Drinking Water		
Analyte	Result	Units	Qal	DF	Nominal DL
Metals - Total in Water by ICP-MS					
Lead	Total	<0.20	µg/L	1	0.20
					Apr 26, 2023 12:26 FR

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials
146833-5	106 Initial	2023-04-15 10:31	Drinking Water		
Analyte	Result	Units	Qal	DF	Nominal DL
Metals - Total in Water by ICP-MS					
Lead	Total	<0.20	µg/L	1	0.20
					Apr 26, 2023 12:26 FR

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials
146833-6	107 Initial	2023-04-15 10:32	Drinking Water		
Analyte	Result	Units	Qal	DF	Nominal DL
Metals - Total in Water by ICP-MS					
Lead	Total	<0.20	µg/L	1	0.20
					Apr 26, 2023 12:26 FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-7	108 Initial	2023-04-15 10:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 26, 2023 12:26	FR	
<hr/>								
146833-8	109 Initial	2023-04-15 10:39	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 26, 2023 12:26	FR	
<hr/>								
146833-9	110 Initial	2023-04-15 10:40	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.58		1	0.20	Apr 26, 2023 12:26	FR	
<hr/>								
146833-10	110 Flush	2023-04-15 10:41	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 26, 2023 12:26	FR	
<hr/>								
146833-11	111 Initial	2023-04-15 10:43	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 26, 2023 12:26	FR	
<hr/>								
146833-12	114 Initial	2023-04-15 10:44	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 26, 2023 12:26	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-13	114 Flush	2023-04-15 10:45	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-14	115 Initial	2023-04-15 10:44	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-15	116 Initial	2023-04-15 10:45	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-16	117 Initial	2023-04-15 10:46	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-17	118 Initial	2023-04-15 10:46	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-18	119 Initial	2023-04-15 10:47	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-19	120 Initial	2023-04-15 10:48	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-20	121 Initial	2023-04-15 10:48	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-21	122 Initial	2023-04-15 10:49	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-22	123 Initial	2023-04-15 10:49	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-23	124 Initial	2023-04-15 10:50	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-24	125 Initial	2023-04-15 10:52	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	0.28	µg/L	1	0.20	Apr 26, 2023 12:26	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-25	125 Flush	2023-04-15 10:53	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-26	126 Initial	2023-04-15 10:54	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.33	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-27	127 Initial	2023-04-15 10:54	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-28	128 Initial	2023-04-15 10:55	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-29	128 Flush	2023-04-15 10:56	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-30	129 Initial	2023-04-15 10:57	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	3.96	µg/L	1	0.20	Apr 26, 2023 12:26	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-31	130 Initial	2023-04-15 10:57	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	2.93	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-32	131 Initial	2023-04-15 10:58	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.52	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-33	132 Initial	2023-04-15 10:58	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-34	133 Initial	2023-04-15 11:05	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.12	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-35	133 Flush	2023-04-15 11:06	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-36	134 Initial	2023-04-15 11:07	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-37	135 Initial	2023-04-15 11:07	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
146833-38	135 Flush	2023-04-15 11:08	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
146833-39	136 Initial	2023-04-15 11:10	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
146833-40	137 Initial	2023-04-15 11:11	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
146833-41	138 Initial	2023-04-15 11:13	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.30	µg/L	1	0.20	Apr 26, 2023 12:26	FR	
146833-42	138 Flush	2023-04-15 11:14	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:26	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
146833-43	139 Initial	2023-04-15 11:15	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	2.64	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-44	140 Initial	2023-04-15 11:15	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	0.97	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-45	141 Initial	2023-04-15 11:16	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	2.23	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-46	142 Initial	2023-04-15 11:18	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-47	143 Initial	2023-04-15 11:19	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-48	144 Initial	2023-04-15 11:19	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	0.29	µg/L			1	0.20	Apr 26, 2023 12:28	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number 146833-49	Sample Date 2023-04-15 11:20
Sample Description 144 Flush	Sample Matrix Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR

Reference Number 146833-50	Sample Date 2023-04-15 11:20
Sample Description 145 Initial	Sample Matrix Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR

Reference Number 146833-51	Sample Date 2023-04-15 11:21
Sample Description 146 Initial	Sample Matrix Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR

Reference Number 146833-52	Sample Date 2023-04-15 11:21
Sample Description 146 Flush	Sample Matrix Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR

Reference Number 146833-53	Sample Date 2023-04-15 11:22
Sample Description 148 Initial	Sample Matrix Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	1.31	µg/L	1	0.20	Apr 26, 2023 12:28	FR

Reference Number 146833-54	Sample Date 2023-04-15 11:22
Sample Description 149 Initial	Sample Matrix Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-55	151 Initial	2023-04-15 11:23	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-56	152 Initial	2023-04-15 11:24	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-57	153 Initial	2023-04-15 11:24	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-58	154 Initial	2023-04-15 11:25	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-59	155 Initial	2023-04-15 11:25	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-60	156 Initial	2023-04-15 11:26	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-61	157 Initial	2023-04-15 11:28	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.50	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-62	158 Initial	2023-04-15 11:28	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	12.8	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-63	159 Initial	2023-04-15 11:29	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	4.94	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-64	160 Initial	2023-04-15 11:29	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	6.90	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-65	160 Flush	2023-04-15 11:30	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	3.85	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-66	161 Initial	2023-04-15 11:31	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.80	µg/L	1	0.20	Apr 26, 2023 12:28	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-67	162 Initial	2023-04-15 11:32	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.52	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-68	163 Initial	2023-04-15 11:32	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.70	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-69	164 Initial	2023-04-15 11:33	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.43	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-70	164 Flush	2023-04-15 11:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-71	165 Initial	2023-04-15 11:35	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-72	166 Initial	2023-04-15 11:36	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-73	168 Initial	2023-04-15 11:36	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.64	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
146833-74	168 Flush	2023-04-15 11:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
146833-75	167 Initial	2023-04-15 11:39	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.98	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
146833-76	167 Flush	2023-04-15 11:39	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
146833-77	170 Initial	2023-04-15 11:40	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	60.2	µg/L	1	0.20	Apr 26, 2023 12:28	FR	
146833-78	171 Initial	2023-04-15 11:40	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	2.63	µg/L	1	0.20	Apr 26, 2023 12:28	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
146833-79	172 Initial	2023-04-15 11:41	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	1.71	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-80	173 Initial	2023-04-15 11:43	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	0.50	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-81	173 Flush	2023-04-15 11:43	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-82	175 Initial	2023-04-15 11:44	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	3.32	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-83	176 Initial	2023-04-15 11:45	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	47.6	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-84	177 Initial	2023-04-15 11:47	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 26, 2023 12:28	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
146833-85	178 Initial	2023-04-15 11:48	Drinking Water						
Analyte	Result								
Metals - Total in Water by ICP-MS									
Lead	Total	1.62	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-86	179 Initial	2023-04-15 11:48	Drinking Water						
Analyte	Result								
Metals - Total in Water by ICP-MS									
Lead	Total	4.85	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-87	180 Initial	2023-04-15 11:49	Drinking Water						
Analyte	Result								
Metals - Total in Water by ICP-MS									
Lead	Total	119	µg/L			10	2.0	Apr 26, 2023 12:28	FR
146833-88	180 Flush	2023-04-15 11:50	Drinking Water						
Analyte	Result								
Metals - Total in Water by ICP-MS									
Lead	Total	0.58	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-89	182 Initial	2023-04-15 11:51	Drinking Water						
Analyte	Result								
Metals - Total in Water by ICP-MS									
Lead	Total	0.48	µg/L			1	0.20	Apr 26, 2023 12:28	FR
146833-90	183 Initial	2023-04-15 11:53	Drinking Water						
Analyte	Result								
Metals - Total in Water by ICP-MS									
Lead	Total	0.63	µg/L			1	0.20	Apr 26, 2023 12:28	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
146833-91	184 Initial	2023-04-15 11:53	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-92	185 Initial	2023-04-15 11:54	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	0.80	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-93	185 Flush	2023-04-15 11:55	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-94	186 Initial	2023-04-15 11:56	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-95	187 Initial	2023-04-15 11:56	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-96	188 Initial	2023-04-15 11:56	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-97	189 Initial	2023-04-15 11:57	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-98	190 Initial	2023-04-15 11:57	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-99	194 Initial	2023-04-15 11:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-100	195 Initial	2023-04-15 11:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-101	196 Initial	2023-04-15 12:00	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-102	198 Initial	2023-04-15 12:01	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-103	199 Initial	2023-04-15 12:01	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-104	200 Initial	2023-04-15 12:01	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-105	201 Initial	2023-04-15 12:04	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	3.15		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-106	201 Flush	2023-04-15 12:05	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-107	203 Initial	2023-04-15 12:05	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.28		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-108	204 Initial	2023-04-15 12:06	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.38		1	0.20	Apr 27, 2023 13:13	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-109	205 Initial	2023-04-15 12:06	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-110	206 Initial	2023-04-15 12:07	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	2.18		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-111	206 Flush	2023-04-15 12:07	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-112	207 Initial	2023-04-15 12:08	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.83		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-113	208 Initial	2023-04-15 12:08	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.53		1	0.20	Apr 27, 2023 13:13	FR	
<hr/>								
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-114	209 Initial	2023-04-15 12:09	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 27, 2023 13:13	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-115	210 Initial	2023-04-15 12:11	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-116	211 Initial	2023-04-15 12:12	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-117	212 Initial	2023-04-15 12:12	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-118	213 Initial	2023-04-15 12:13	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	0.28	µg/L	1	0.20	Apr 27, 2023 13:13	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-119	213 Flush	2023-04-15 12:14	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-120	214 Initial	2023-04-15 12:16	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-121	215 Initial	2023-04-15 12:16	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-122	216 Initial	2023-04-15 12:17	Drinking Water					
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-123	217 Initial	2023-04-15 12:17	Drinking Water					
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-124	218 Initial	2023-04-15 12:18	Drinking Water					
Metals - Total in Water by ICP-MS								
Lead	Total	0.83	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-125	218 Flush	2023-04-15 12:19	Drinking Water					
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-126	219 Initial	2023-04-15 12:45	Drinking Water					
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-127	219 Flush	2023-04-15 12:46	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.26	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-128	220 Initial	2023-04-15 12:47	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-129	220 Flush	2023-04-15 12:48	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-130	221 Initial	2023-04-15 12:50	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-131	222 Initial	2023-04-15 12:51	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-132	223 Initial	2023-04-15 12:52	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-133	223 Flush	2023-04-15 12:52	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-134	224 Initial	2023-04-15 12:54	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-135	224 Flush	2023-04-15 12:54	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-136	225 Initial	2023-04-15 12:57	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-137	226 Initial	2023-04-15 12:58	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-138	227 Initial	2023-04-15 12:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-139	227 Flush	2023-04-15 12:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-140	228 Initial	2023-04-15 13:00	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-141	229 Initial	2023-04-15 13:00	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-142	229 Flush	2023-04-15 13:01	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-143	230 Initial	2023-04-15 13:03	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	
146833-144	230 Flush	2023-04-15 13:03	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 27, 2023 13:13	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
146833-145	231 Initial	2023-04-15 13:05	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-146	232 Initial	2023-04-15 13:06	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-147	233 Initial	2023-04-15 13:07	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-148	234 Initial	2023-04-15 13:08	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-149	235 Initial	2023-04-15 13:09	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR
146833-150	236 Initial	2023-04-15 13:10	Drinking Water						
Analyte									
Metals - Total in Water by ICP-MS									
Lead	Total	<0.20	µg/L			1	0.20	Apr 27, 2023 13:13	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-151	236 Flush	2023-04-15 13:11	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	0.57	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-152	237 Initial	2023-04-15 13:12	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	1.99	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-153	238 Initial	2023-04-15 13:13	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	0.80	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-154	238 Flush	2023-04-15 13:14	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-155	239 Initial	2023-04-15 13:15	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	0.56	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-156	239 Flush	2023-04-15 13:15	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-157	240 Initial	2023-04-15 13:16	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.22	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-158	241 Initial	2023-04-15 13:17	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-159	242 Initial	2023-04-15 13:19	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.73	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-160	242 Flush	2023-04-15 13:19	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.70	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-161	243 Initial	2023-04-15 13:26	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.45	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-162	244 Initial	2023-04-15 13:26	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.26	µg/L	1	0.20	Apr 28, 2023 07:08	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-163	245 Initial	2023-04-15 13:27	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.57	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-164	246 Initial	2023-04-15 13:27	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.26	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-165	247 Initial	2023-04-15 13:29	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.51	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-166	248 Initial	2023-04-15 13:29	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.28	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-167	249 Initial	2023-04-15 13:30	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.30	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-168	250 Initial	2023-04-15 13:31	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.37	µg/L	1	0.20	Apr 28, 2023 07:08	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-169	250 Flush	2023-04-15 13:32	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.75	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-170	251 Initial	2023-04-15 13:32	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	2.19	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-171	251 Flush	2023-04-15 13:33	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.25	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-172	252 Initial	2023-04-15 13:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	8.95	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-173	253 Initial	2023-04-15 13:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	7.07	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-174	253 Flush	2023-04-15 13:35	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.30	µg/L	1	0.20	Apr 28, 2023 07:08	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-175	254 Initial	2023-04-15 13:36	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	4.31	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-176	254 Flush	2023-04-15 13:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-177	255 Initial	2023-04-15 13:39	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.48	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-178	255 Flush	2023-04-15 13:39	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-179	256 Initial	2023-04-15 13:42	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-180	256 Flush	2023-04-15 13:42	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-181	257 Initial	2023-04-15 13:44	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.31	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-182	257 Flush	2023-04-15 13:45	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.56	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-183	258 Initial	2023-04-15 13:46	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-184	259 Initial	2023-04-15 13:48	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	25.6	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-185	259 Flush	2023-04-15 13:49	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.81	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-186	260 Initial	2023-04-15 13:50	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	10.2	µg/L	1	0.20	Apr 28, 2023 07:08	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-187	261 Initial	2023-04-15 13:52	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.50	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-188	261 Flush	2023-04-15 13:52	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.51	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-189	262 Initial	2023-04-15 13:53	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.64	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-190	263 Initial	2023-04-15 13:54	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-191	264 Initial	2023-04-15 13:55	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.72	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-192	265 Initial	2023-04-15 13:56	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-193	265 Flush	2023-04-15 13:56	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 28, 2023 07:08	FR	
<hr/>								
146833-194	266 Initial	2023-04-15 13:57	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.58		1	0.20	Apr 28, 2023 07:08	FR	
<hr/>								
146833-195	267 Initial	2023-04-15 13:58	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.67		1	0.20	Apr 28, 2023 07:08	FR	
<hr/>								
146833-196	268 Initial	2023-04-15 13:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 28, 2023 07:08	FR	
<hr/>								
146833-197	269 Initial	2023-04-15 13:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20		1	0.20	Apr 28, 2023 07:08	FR	
<hr/>								
146833-198	270 Initial	2023-04-15 14:00	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	0.24		1	0.20	Apr 28, 2023 07:08	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-199	270 Flush	2023-04-15 14:00	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-200	271 Initial	2023-04-15 14:05	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	2.38	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-201	272 Initial	2023-04-15 14:05	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	1.82	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-202	273 Initial	2023-04-15 14:06	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	1.09	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-203	273 Flush	2023-04-15 14:07	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
146833-204	274 Flush	2023-04-15 14:10	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	15.8	µg/L	1	0.20	Apr 28, 2023 07:08	FR

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
146833-205	275 Initial	2023-04-15 14:10	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	11.1	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-206	276 Initial	2023-04-15 14:12	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	8.28	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-207	277 Initial	2023-04-15 14:12	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	2.38	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-208	278 Initial	2023-04-15 14:14	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	1.37	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-209	278 Flush	2023-04-15 14:15	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	2.38	µg/L	1	0.20	Apr 28, 2023 07:08	FR	
146833-210	279 Initial	2023-04-15 14:18	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
Metals - Total in Water by ICP-MS								
Lead	Total	<0.20	µg/L	1	0.20	Apr 28, 2023 07:08	FR	

Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Reference Number 146833-211	Sample Date 2023-04-15 14:19
Sample Description 280 Initial	Sample Matrix Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	1.49	µg/L	1	0.20	Apr 28, 2023 07:08	FR

Reference Number 146833-212	Sample Date 2023-04-15 14:19
Sample Description 280 Flush	Sample Matrix Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS							
Lead	Total	0.45	µg/L	1	0.20	Apr 28, 2023 07:08	FR

Approved by: 
Megan Krauskopf
Project Manager

Methodology and Notes

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1937: Scribner Middle School	Lot ID: 146833
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By: JH	Project Location:	Date Received: Apr 19, 2023
Company:	LSD:	Date Reported: May 2, 2023
	P.O.: IFA_LIF_2019	Report Number: 248665
	Proj. Acct. code:	

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Apr 26, 2023	Fort Wayne
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Apr 26, 2023	Fort Wayne
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Apr 27, 2023	Fort Wayne
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Apr 28, 2023	Fort Wayne

References

EPA United States Environmental Protection Agency

Comments:

- May 02, 2023 - Report was issued to correct the sample ID for fraction -204 per client. Previous report 247681.

Please direct any inquiries regarding this report to our Client Services group.
Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.