



Element  
Suite 100, 328 Ley Road  
Fort Wayne, Indiana  
46825, United States

T: +1 (260) 471-7000  
F: +1  
E: Info.FortWayne@element.com  
W: www.element.com

August 7, 2023

Aija Putelis  
120 Water Audit  
PO Box 604  
ZIONSVILLE, IN 46077

RE: 1933: Hazelwood Middle School

Dear Aija Putelis:

Lot Id: 157734

Element Materials Technology – Fort Wayne received 195 sample(s) on 7/24/2023 for the analyses presented in the following report.

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Megan Krauskopf  
Project Manager  
Suite 100, 328 Ley Road,  
Fort Wayne, IN 46825

**Accreditation**

TNI:2016 (Florida)  
ISO 17025:2017 (A2LA)  
Indiana – Fort Wayne  
Indiana – Fort Wayne  
Indiana – Columbus  
Indiana – South Bend

**Cert #**

E871168  
6190.02  
C-02-03  
M-02-05  
M-03-02  
M-71-02

**Accreditation**

Louisiana  
Michigan  
South Dakota  
Tennessee

**Cert #**

235913  
9030  
--  
04911

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
157734-1	101 Initial	2023-07-19 07:26	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	2.21	µg/L	1	0.20			Aug 03, 2023 08:29	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
157734-2	102 Initial	2023-07-19 07:26	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.41	µg/L	1	0.20			Aug 03, 2023 08:29	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
157734-3	103 Initial	2023-07-19 07:27	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	2.24	µg/L	1	0.20			Aug 03, 2023 08:29	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
157734-4	103 Flush	2023-07-19 07:27	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.31	µg/L	1	0.20			Aug 03, 2023 08:29	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
157734-5	104 Initial	2023-07-19 07:40	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.83	µg/L	1	0.20			Aug 03, 2023 08:29	FR

Reference Number	Sample Description	Sample Date	Sample Matrix					Analysis Start Date/Time	Analyst Initials
157734-6	105 Initial	2023-07-19 07:40	Drinking Water						
Analyte	Result	Units	Qal	DF	Nominal DL			Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.82	µg/L	1	0.20			Aug 03, 2023 08:29	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
157734-7	106 Initial	2023-07-19 07:41	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.97	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-8	107 Initial	2023-07-19 07:44	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-9	108 Initial	2023-07-19 07:45	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	2.60	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-10	108 Flush	2023-07-19 07:45	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.25	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-11	109 Initial	2023-07-19 07:46	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.60	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-12	110 Initial	2023-07-19 07:47	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.99	µg/L			1	0.20	Aug 03, 2023 08:29	FR

**Analytical Report**

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-13	111 Initial	2023-07-19 07:47	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.39	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-14	111 Flush	2023-07-19 07:48	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.32	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-15	112 Initial	2023-07-19 07:50	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.44	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-16	113 Initial	2023-07-19 07:52	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.57	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-17	114 Initial	2023-07-19 07:52	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.96	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-18	115 Initial	2023-07-19 07:53	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.43	µg/L	1	0.20	Aug 03, 2023 08:29	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

<b>Reference Number</b> 157734-19	<b>Sample Date</b> 2023-07-19 07:54
<b>Sample Description</b> 116 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.48	µg/L	1	0.20	Aug 03, 2023 08:29	FR

<b>Reference Number</b> 157734-20	<b>Sample Date</b> 2023-07-19 07:55
<b>Sample Description</b> 117 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	1.12	µg/L	1	0.20	Aug 03, 2023 08:29	FR

<b>Reference Number</b> 157734-21	<b>Sample Date</b> 2023-07-19 07:56
<b>Sample Description</b> 117 Flush	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.72	µg/L	1	0.20	Aug 03, 2023 08:29	FR

<b>Reference Number</b> 157734-22	<b>Sample Date</b> 2023-07-19 07:57
<b>Sample Description</b> 118 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	5.29	µg/L	1	0.20	Aug 03, 2023 08:29	FR

<b>Reference Number</b> 157734-23	<b>Sample Date</b> 2023-07-19 07:57
<b>Sample Description</b> 119 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	7.85	µg/L	1	0.20	Aug 03, 2023 08:29	FR

<b>Reference Number</b> 157734-24	<b>Sample Date</b> 2023-07-19 07:58
<b>Sample Description</b> 122 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	1.01	µg/L	1	0.20	Aug 03, 2023 08:29	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-25	122 Flush	2023-07-19 07:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.48	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-26	123 Initial	2023-07-19 08:00	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	7.25	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-27	124 Initial	2023-07-19 08:00	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	4.09	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-28	125 Initial	2023-07-19 08:01	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	8.93	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-29	126 Initial	2023-07-19 08:03	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	3.81	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-30	126 Flush	2023-07-19 08:04	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.52	µg/L	1	0.20	Aug 03, 2023 08:29	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-31	127 Initial	2023-07-19 08:05	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
157734-32	128 Initial	2023-07-19 08:06	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
157734-33	128 Flush	2023-07-19 08:06	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
157734-34	129 Initial	2023-07-19 08:07	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.45	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
157734-35	130 Initial	2023-07-19 08:08	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.63	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
157734-36	131 Initial	2023-07-19 08:08	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	9.76	µg/L	1	0.20	Aug 03, 2023 08:29	FR	

**Analytical Report**

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
157734-37	132 Initial	2023-07-19 08:09	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	11.1	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-38	133 Initial	2023-07-19 08:11	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-39	133 Flush	2023-07-19 08:12	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-40	134 Initial	2023-07-19 08:13	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.74	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-41	136 Initial	2023-07-19 08:14	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.72	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-42	137 Initial	2023-07-19 08:15	Drinking Water						
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.37	µg/L			1	0.20	Aug 03, 2023 08:29	FR



**Analytical Report**

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-43	138 Initial	2023-07-19 08:15	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.53	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-44	139 Initial	2023-07-19 08:16	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-45	139 Flush	2023-07-19 08:17	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.30	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-46	140 Initial	2023-07-19 08:17	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-47	141 Initial	2023-07-19 08:19	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.28	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-48	141 Flush	2023-07-19 08:20	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.30	µg/L	1	0.20	Aug 03, 2023 08:29	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
157734-49	142 Initial	2023-07-19 08:21	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	2.84	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-50	143 Initial	2023-07-19 08:22	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.94	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-51	144 Initial	2023-07-19 08:22	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.15	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-52	145 Initial	2023-07-19 08:23	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.70	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-53	145 Flush	2023-07-19 08:24	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Aug 03, 2023 08:29	FR
157734-54	146 Initial	2023-07-19 08:25	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Aug 03, 2023 08:29	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-55	146 Flush	2023-07-19 08:26	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-56	147 Initial	2023-07-19 08:27	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-57	147 Flush	2023-07-19 08:28	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-58	148 Initial	2023-07-19 08:30	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-59	148 Flush	2023-07-19 08:30	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	1.03	µg/L	1	0.20	Aug 03, 2023 08:29	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-60	149 Initial	2023-07-19 08:33	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.98	µg/L	1	0.20	Aug 03, 2023 08:29	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-61	150 Initial	2023-07-19 08:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.51	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-62	151 Initial	2023-07-19 08:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.71	µg/L	1	0.20	Aug 03, 2023 08:29	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-63	152 Initial	2023-07-19 08:35	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.85	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-64	153 Initial	2023-07-19 08:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.73	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-65	154 Initial	2023-07-19 08:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.21	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-66	155 Initial	2023-07-19 08:38	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	6.11	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-67	156 Initial	2023-07-19 08:39	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.52	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-68	157 Initial	2023-07-19 08:42	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.56	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-69	158 Initial	2023-07-19 08:42	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	2.15	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-70	159 Initial	2023-07-19 08:43	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.40	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-71	160 Initial	2023-07-19 08:45	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	1.12	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-72	160 Flush	2023-07-19 08:46	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:30	FR

**Analytical Report**

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-73	161 Initial	2023-07-19 08:46	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.45	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-74	161 Flush	2023-07-19 08:47	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.31	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-75	162 Initial	2023-07-19 08:48	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.97	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-76	162 Flush	2023-07-19 08:48	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.59	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-77	163 Initial	2023-07-19 08:50	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.74	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-78	164 Initial	2023-07-19 08:51	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.99	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
157734-79	164 Flush	2023-07-19 08:52	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.86	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-80	165 Initial	2023-07-19 08:54	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.31	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-81	165 Flush	2023-07-19 08:55	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.23	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-82	166 Initial	2023-07-19 08:56	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.59	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-83	167 Initial	2023-07-19 09:01	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	43.0	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-84	169 Initial	2023-07-19 09:02	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.71	µg/L			1	0.20	Aug 03, 2023 08:30	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-85	169 Flush	2023-07-19 09:03	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	3.18	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-86	170 Initial	2023-07-19 09:04	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.28	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-87	170 Flush	2023-07-19 09:04	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-88	171 Initial	2023-07-19 09:15	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.44	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-89	173 Initial	2023-07-19 09:17	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	0.26	µg/L	1	0.20	Aug 03, 2023 08:30	FR
Reference Number	Sample Description	Sample Date	Sample Matrix	Analysis Start Date/Time	Analyst Initials		
157734-90	174 Initial	2023-07-19 09:18	Drinking Water				
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:30	FR



## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-91	176 Initial	2023-07-19 09:21	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.84	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-92	177 Initial	2023-07-19 09:21	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.23	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-93	178 Initial	2023-07-19 09:23	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.56	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-94	179 Initial	2023-07-19 09:23	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.28	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-95	180 Initial	2023-07-19 09:24	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.77	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-96	181 Initial	2023-07-19 09:25	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.31	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

<b>Reference Number</b>	157734-97	<b>Sample Date</b>	2023-07-19 09:28
<b>Sample Description</b>	183 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	13.4	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-98	<b>Sample Date</b>	2023-07-19 09:29
<b>Sample Description</b>	183 Flush	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	43.5	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-99	<b>Sample Date</b>	2023-07-19 09:32
<b>Sample Description</b>	184 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	0.78	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-100	<b>Sample Date</b>	2023-07-19 09:33
<b>Sample Description</b>	185 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	0.55	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-101	<b>Sample Date</b>	2023-07-19 09:34
<b>Sample Description</b>	186 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	1.13	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-102	<b>Sample Date</b>	2023-07-19 09:35
<b>Sample Description</b>	186 Flush	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	1.10	µg/L 1 0.20 Aug 03, 2023 08:30 FR

**Analytical Report**

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-103	187 Initial	2023-07-19 09:36	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.15	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-104	188 Initial	2023-07-19 09:37	Drinking Water					
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.31	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-105	188 Flush	2023-07-19 09:38	Drinking Water					
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-106	189 Initial	2023-07-19 09:38	Drinking Water					
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.47	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-107	190 Initial	2023-07-19 09:39	Drinking Water					
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.69	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-108	191 Initial	2023-07-19 09:56	Drinking Water					
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	6.59	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
157734-109	194 Initial	2023-07-19 10:00	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	2.20	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-110	195 Initial	2023-07-19 10:01	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.62	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-111	196 Initial	2023-07-19 10:02	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	1.56	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-112	196 Flush	2023-07-19 10:03	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.64	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-113	197 Initial	2023-07-19 10:04	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	0.53	µg/L			1	0.20	Aug 03, 2023 08:30	FR
157734-114	197 Flush	2023-07-19 10:05	Drinking Water						
<b>Analyte</b>									
<b>Metals - Total in Water by ICP-MS</b>									
Lead	Total	<0.20	µg/L			1	0.20	Aug 03, 2023 08:30	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-115	198 Initial	2023-07-19 12:11	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	6.88	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-116	199 Initial	2023-07-19 12:11	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	5.60	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-117	200 Initial	2023-07-19 12:12	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	11.5	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-118	201 Initial	2023-07-19 12:13	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	10.1	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-119	202 Initial	2023-07-19 12:13	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	10.7	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-120	203 Initial	2023-07-19 12:14	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	7.48	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-121	204 Initial	2023-07-19 12:15	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	7.76	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-122	205 Initial	2023-07-19 12:15	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	26.9	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-123	205 Flush	2023-07-19 12:16	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.22	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-124	206 Initial	2023-07-19 12:18	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	5.58	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-125	206 Flush	2023-07-19 12:18	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.91	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-126	207 Initial	2023-07-19 12:19	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	40.2	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-127	207 Flush	2023-07-19 12:20	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.53	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-128	208 Initial	2023-07-19 12:20	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	5.39	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-129	209 Initial	2023-07-19 12:21	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	11.2	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-130	210 Initial	2023-07-19 12:21	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	13.3	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-131	211 Initial	2023-07-19 12:22	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	7.26	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-132	212 Initial	2023-07-19 12:23	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	19.6	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-133	213 Initial	2023-07-19 12:23	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	25.0	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-134	214 Initial	2023-07-19 12:24	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	5.71	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-135	215 Initial	2023-07-19 12:25	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.94	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-136	216 Initial	2023-07-19 12:25	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.44	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-137	217 Initial	2023-07-19 12:26	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.71	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-138	218 Initial	2023-07-19 12:27	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.87	µg/L	1	0.20	Aug 03, 2023 08:30	FR	



## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-139	219 Initial	2023-07-19 12:27	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.13	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-140	220 Initial	2023-07-19 12:28	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.37	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-141	221 Initial	2023-07-19 12:30	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-142	222 Initial	2023-07-19 12:33	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.56	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-143	222 Flush	2023-07-19 12:33	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.36	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-144	223 Initial	2023-07-19 12:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	12.0	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-145	224 Initial	2023-07-19 12:34	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.24	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-146	225 Initial	2023-07-19 12:35	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.62	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-147	226 Initial	2023-07-19 12:35	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.67	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-148	227 Initial	2023-07-19 12:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-149	228 Initial	2023-07-19 12:37	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.50	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-150	228 Flush	2023-07-19 12:38	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.60	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-151	229 Initial	2023-07-19 12:39	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.62	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-152	229 Flush	2023-07-19 12:39	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.88	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-153	230 Initial	2023-07-19 12:41	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	38.5	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-154	230 Flush	2023-07-19 12:41	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.14	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-155	231 Initial	2023-07-19 12:42	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	17.9	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-156	232 Initial	2023-07-19 12:43	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	108	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

<b>Reference Number</b>	157734-157	<b>Sample Date</b>	2023-07-19 12:43
<b>Sample Description</b>	233 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	22.6	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-158	<b>Sample Date</b>	2023-07-19 12:44
<b>Sample Description</b>	234 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	97.7	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-159	<b>Sample Date</b>	2023-07-19 12:44
<b>Sample Description</b>	235 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	73.7	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-160	<b>Sample Date</b>	2023-07-19 12:45
<b>Sample Description</b>	236 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	68.0	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-161	<b>Sample Date</b>	2023-07-19 12:46
<b>Sample Description</b>	237 Initial	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	7.21	µg/L 1 0.20 Aug 03, 2023 08:30 FR

<b>Reference Number</b>	157734-162	<b>Sample Date</b>	2023-07-19 12:47
<b>Sample Description</b>	237 Flush	<b>Sample Matrix</b>	Drinking Water
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b> <b>DF</b> <b>Nominal DL</b> <b>Analysis Start Date/Time</b> <b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>			
Lead	Total	4.20	µg/L 1 0.20 Aug 03, 2023 08:30 FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-163	238 Initial	2023-07-19 12:49	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.72	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-164	239 Initial	2023-07-19 12:50	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	3.01	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-165	240 Initial	2023-07-19 12:55	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	8.90	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-166	241 Initial	2023-07-19 12:56	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	16.1	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-167	242 Initial	2023-07-19 12:56	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	27.6	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-168	243 Initial	2023-07-19 12:57	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	29.5	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

**Analytical Report**

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-169	244 Initial	2023-07-19 12:58	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	23.0	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-170	245 Initial	2023-07-19 12:58	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	14.4	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-171	246 Initial	2023-07-19 12:59	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	9.22	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-172	246 Flush	2023-07-19 13:00	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.62	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-173	247 Initial	2023-07-19 13:00	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	69.3	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-174	247 Flush	2023-07-19 13:01	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	5.93	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

<b>Reference Number</b> 157734-175	<b>Sample Date</b> 2023-07-19 13:02
<b>Sample Description</b> 248 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	5.39	µg/L	1	0.20	Aug 03, 2023 08:30	FR

<b>Reference Number</b> 157734-176	<b>Sample Date</b> 2023-07-19 13:02
<b>Sample Description</b> 249 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	16.6	µg/L	1	0.20	Aug 03, 2023 08:30	FR

<b>Reference Number</b> 157734-177	<b>Sample Date</b> 2023-07-19 13:03
<b>Sample Description</b> 250 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	10.1	µg/L	1	0.20	Aug 03, 2023 08:30	FR

<b>Reference Number</b> 157734-178	<b>Sample Date</b> 2023-07-19 13:04
<b>Sample Description</b> 251 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	68.5	µg/L	1	0.20	Aug 03, 2023 08:30	FR

<b>Reference Number</b> 157734-179	<b>Sample Date</b> 2023-07-19 13:05
<b>Sample Description</b> 252 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	27.1	µg/L	1	0.20	Aug 03, 2023 08:30	FR

<b>Reference Number</b> 157734-180	<b>Sample Date</b> 2023-07-19 13:06
<b>Sample Description</b> 253 Initial	<b>Sample Matrix</b> Drinking Water

Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	8.82	µg/L	1	0.20	Aug 03, 2023 08:30	FR

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-181	254 Initial	2023-07-19 13:07	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	58.2	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-182	255 Initial	2023-07-19 13:07	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	8.41	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-183	255 Flush	2023-07-19 13:08	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	1.48	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-184	257 Initial	2023-07-19 13:10	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	5.84	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-185	259 Initial	2023-07-19 13:11	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	31.0	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-186	260 Initial	2023-07-19 13:14	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.30	µg/L	1	0.20	Aug 03, 2023 08:30	FR	



## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

Reference Number	Sample Description	Sample Date	Sample Matrix				Analysis Start Date/Time	Analyst Initials
157734-187	261 Initial	2023-07-19 13:15	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.23	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-188	261 Flush	2023-07-19 13:15	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	0.86	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-189	262 Initial	2023-07-19 13:17	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.86	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-190	263 Initial	2023-07-19 13:18	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	27.4	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-191	264 Initial	2023-07-19 13:18	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	12.2	µg/L	1	0.20	Aug 03, 2023 08:30	FR	
157734-192	265 Initial	2023-07-19 13:19	Drinking Water					
Analyte	Result	Units	Qal	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Lead	Total	2.46	µg/L	1	0.20	Aug 03, 2023 08:30	FR	

## Analytical Report

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

<b>Reference Number</b> 157734-193	<b>Sample Date</b> 2023-07-19 13:20						
<b>Sample Description</b> 266 Initial	<b>Sample Matrix</b> Drinking Water						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b>	<b>DF</b>	<b>Nominal DL</b>	<b>Analysis Start Date/Time</b>	<b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:30	FR

<b>Reference Number</b> 157734-194	<b>Sample Date</b> 2023-07-19 13:21						
<b>Sample Description</b> 267 Initial	<b>Sample Matrix</b> Drinking Water						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b>	<b>DF</b>	<b>Nominal DL</b>	<b>Analysis Start Date/Time</b>	<b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:30	FR

<b>Reference Number</b> 157734-195	<b>Sample Date</b> 2023-07-19 13:22						
<b>Sample Description</b> 267 Flush	<b>Sample Matrix</b> Drinking Water						
<b>Analyte</b>	<b>Result</b>	<b>Units</b>	<b>Qal</b>	<b>DF</b>	<b>Nominal DL</b>	<b>Analysis Start Date/Time</b>	<b>Analyst Initials</b>
<b>Metals - Total in Water by ICP-MS</b>							
Lead	Total	<0.20	µg/L	1	0.20	Aug 03, 2023 08:31	FR

Approved by:   
Megan Krauskopf  
Project Manager

Data have been validated by Analytical Quality Control and Element's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

### Methodology and Notes

Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077	Project ID: 1933: Hazelwood Middle School	Lot ID: <b>157734</b>
Attn: Accounts Payable	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jul 24, 2023
Company:	LSD:	Date Reported: Aug 7, 2023
	P.O.: IFA_LIF_2019	Report Number: 258454
	Proj. Acct. code:	

### Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Aug 3, 2023	Fort Wayne
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Aug 3, 2023	Fort Wayne
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Aug 3, 2023	Fort Wayne

### References

EPA United States Environmental Protection Agency

Please direct any inquiries regarding this report to our Client Services group.  
Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.