



Element
Suite 100, 328 Ley Road
Fort Wayne, Indiana
46825, United States

T: +1 (260) 471-7000
F: +1
E: Info.FortWayne@element.com
W: www.element.com

April 10, 2024

Aija Putelis
120 Water Audit
PO Box 604
ZIONSVILLE, IN 46077

RE: 1930: Floyd Central High School

Dear Aija Putelis:

Lot Id: 181587

Element Materials Technology – Fort Wayne received 304 sample(s) on 3/27/2024 for the analyses presented in the following report.

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Megan Krauskopf
Project Manager
Suite 100, 328 Ley Road,
Fort Wayne, IN 46825

Accreditation

TNI:2016 (Florida)
ISO 17025:2017 (A2LA)
Indiana – Fort Wayne
Indiana – Fort Wayne
Indiana – Columbus
Indiana – South Bend

Cert #

E871168
6190.02
C-02-03
M-02-05
M-03-02
M-71-02

Accreditation

Louisiana
Michigan
South Dakota
Tennessee

Cert #

235913
9030
--
04911

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-1 | 101 Initial | 2024-03-18 10:51 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:04 | FR |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-2 | 101 Flush | 2024-03-18 10:52 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:04 | FR |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-3 | 102 Initial | 2024-03-18 10:52 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:04 | FR |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-4 | 103 Initial | 2024-03-18 10:53 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:04 | FR |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-5 | 104 Initial | 2024-03-18 10:55 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.38 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:04 | FR |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-6 | 104 Flush | 2024-03-18 10:56 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:04 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-7 | 105 Initial | 2024-03-18 10:57 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.83 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-8 | 106 Initial | 2024-03-18 10:58 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.41 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-9 | 107 Initial | 2024-03-18 10:58 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.65 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-10 | 107 Flush | 2024-03-18 10:59 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-11 | 108 Initial | 2024-03-18 11:01 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-12 | 108 Flush | 2024-03-18 11:02 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-13 | 109 Initial | 2024-03-18 11:02 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-14 | 110 Initial | 2024-03-18 11:02 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-15 | 112 Initial | 2024-03-18 11:05 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.36 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-16 | 113 Initial | 2024-03-18 11:09 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.80 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-17 | 114 Initial | 2024-03-18 11:11 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.33 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-18 | 115 Initial | 2024-03-18 11:11 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.50 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-19 | 115 Flush | 2024-03-18 11:12 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.22 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-20 | 116 Initial | 2024-03-18 11:15 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.77 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-21 | 116 Flush | 2024-03-18 11:16 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.38 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-22 | 117 Initial | 2024-03-18 11:16 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.10 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-23 | 118 Initial | 2024-03-18 11:20 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.37 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-24 | 119 Initial | 2024-03-18 11:28 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.74 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-25 | 120 initial | 2024-03-18 11:31 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.23 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-26 | 121 Initial | 2024-03-18 11:32 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.66 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-27 | 122 Initial | 2024-03-18 11:36 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 37.9 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-28 | 122 Flush | 2024-03-18 11:37 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 33.1 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-29 | 123 Initial | 2024-03-18 11:40 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.92 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-30 | 125 Initial | 2024-03-18 11:41 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.10 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-31 | 126 Initial | 2024-03-18 11:42 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.59 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-32 | 127 Initial | 2024-03-18 11:41 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.39 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-33 | 127 Flush | 2024-03-18 11:42 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.40 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-34 | 128 Initial | 2024-03-18 11:45 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 2.82 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-35 | 128 Flush | 2024-03-18 11:46 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.34 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-36 | 129 Initial | 2024-03-18 11:48 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-37 | 131 Initial | 2024-03-18 11:52 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.19 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-38 | 132 Initial | 2024-03-18 11:53 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.65 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-39 | 135 Initial | 2024-03-18 11:54 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-40 | 136 Initial | 2024-03-18 11:54 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-41 | 136 Flush | 2024-03-18 11:55 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-42 | 137 Initial | 2024-03-18 11:56 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.59 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-43 | 138 Initial | 2024-03-18 11:56 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.80 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-44 | 139 Initial | 2024-03-18 11:58 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.50 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-45 | 140 Initial | 2024-03-18 11:58 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-46 | 141 Initial | 2024-03-18 12:00 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.45 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-47 | 142 Initial | 2024-03-18 12:00 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.55 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| 181587-48 | 143 Initial | 2024-03-18 12:01 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.01 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-49 | 144 Initial | 2024-03-18 12:02 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.76 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-50 | 145 Initial | 2024-03-18 12:03 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 13.8 | µg/L | 1 | 0.20 | Apr 08, 2024 09:04 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-51 | 146 Initial | 2024-03-18 12:03 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.95 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-52 | 147 Initial | 2024-03-18 12:06 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.88 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-53 | 148 Initial | 2024-03-18 12:06 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.21 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-54 | 149 Initial | 2024-03-18 12:07 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-55 | Sample Date 2024-03-18 12:07 |
| Sample Description 150 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-56 | Sample Date 2024-03-18 12:07 |
| Sample Description 151 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-57 | Sample Date 2024-03-18 12:08 |
| Sample Description 152 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.38 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-58 | Sample Date 2024-03-18 12:08 |
| Sample Description 153 initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.40 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-59 | Sample Date 2024-03-18 12:09 |
| Sample Description 154 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.64 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-60 | Sample Date 2024-03-18 12:09 |
| Sample Description 155 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.22 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|-------|-----|----|------------|--------------------------|------------------|
| 181587-61 | 156 Initial | 2024-03-18 12:10 | Drinking Water | | | | | | |
| Analyte | | | | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.28 | µg/L | | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-62 | 157 Initial | 2024-03-18 12:55 | Drinking Water | | | | | | |
| Analyte | | | | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-63 | 157 Flush | 2024-03-18 12:56 | Drinking Water | | | | | | |
| Analyte | | | | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-64 | 158 Initial | 2024-03-18 12:59 | Drinking Water | | | | | | |
| Analyte | | | | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.20 | µg/L | | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-65 | 158 Flush | 2024-03-18 13:00 | Drinking Water | | | | | | |
| Analyte | | | | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.21 | µg/L | | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-66 | 159 Initial | 2024-03-18 13:01 | Drinking Water | | | | | | |
| Analyte | | | | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 1.60 | µg/L | | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-67 | 159 Flush | 2024-03-18 13:02 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.29 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-68 | 160 Initial | 2024-03-18 13:02 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.71 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-69 | 161 Initial | 2024-03-18 13:03 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.27 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-70 | 162 Initial | 2024-03-18 13:03 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-71 | 162 Flush | 2024-03-18 13:04 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-72 | 163 Initial | 2024-03-18 13:04 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.47 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-73 | 164 Initial | 2024-03-18 13:06 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.50 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-74 | 164 Flush | 2024-03-18 13:07 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.59 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-75 | 165 Initial | 2024-03-18 13:08 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-76 | 165 Flush | 2024-03-18 13:09 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-77 | 166 Initial | 2024-03-18 13:11 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.60 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-78 | 166 Flush | 2024-03-18 13:12 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-79 | 167 Initial | 2024-03-18 13:15 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.14 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-80 | 168 Initial | 2024-03-18 13:16 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.24 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-81 | 169 Initial | 2024-03-18 13:17 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-82 | 171 Initial | 2024-03-18 13:31 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.49 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-83 | 171 Flush | 2024-03-18 13:32 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-84 | 173 Initial | 2024-03-18 13:36 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|------------------|--------------------|------------------|----------------|--|--------|-------|-----|----|------------|--------------------------|------------------|
| 181587-85 | 173 Flush | 2024-03-18 13:37 | Drinking Water | Metals - Total in Water by ICP-MS | | | | | | | |
| | Total | | | Lead | <0.20 | µg/L | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-86 | 174 Initial | 2024-03-18 13:38 | Drinking Water | Metals - Total in Water by ICP-MS | | | | | | | |
| | Total | | | Lead | <0.20 | µg/L | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-87 | 174 Flush | 2024-03-18 13:39 | Drinking Water | Metals - Total in Water by ICP-MS | | | | | | | |
| | Total | | | Lead | <0.20 | µg/L | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-88 | 175 Initial | 2024-03-18 13:42 | Drinking Water | Metals - Total in Water by ICP-MS | | | | | | | |
| | Total | | | Lead | 1.73 | µg/L | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-89 | 175 Flush | 2024-03-18 13:43 | Drinking Water | Metals - Total in Water by ICP-MS | | | | | | | |
| | Total | | | Lead | <0.20 | µg/L | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |
| 181587-90 | 176 Initial | 2024-03-18 13:43 | Drinking Water | Metals - Total in Water by ICP-MS | | | | | | | |
| | Total | | | Lead | <0.20 | µg/L | | 1 | 0.20 | Apr 08, 2024 09:05 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-91 | 177 Initial | 2024-03-18 13:44 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 5.67 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-92 | 178 Initial | 2024-03-18 13:45 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.28 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-93 | 179 Initial | 2024-03-18 13:46 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.75 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-94 | 179 Flush | 2024-03-18 13:47 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-95 | 180 Initial | 2024-03-18 13:51 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.35 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-96 | 181 Initial | 2024-03-18 13:52 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.59 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-97 | 182 Initial | 2024-03-18 13:53 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.60 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-98 | 183 Initial | 2024-03-18 13:53 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.68 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-99 | 184 Initial | 2024-03-18 13:58 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 238 | µg/L | 10 | 2.0 | Apr 08, 2024 09:05 | FR | |
| 181587-100 | 184 Flush | 2024-03-18 14:00 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 99.0 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-101 | 185 Initial | 2024-03-18 14:01 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 21.4 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-102 | 186 Initial | 2024-03-18 14:01 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 76.5 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-103 | 187 Initial | 2024-03-18 14:02 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 322 | µg/L | 10 | 2.0 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-104 | 187 Flush | 2024-03-18 14:03 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 97.2 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-105 | 188 Initial | 2024-03-18 14:03 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.21 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-106 | 189 Initial | 2024-03-18 14:04 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.92 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-107 | 189 Flush | 2024-03-18 14:05 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.46 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-108 | 190 Initial | 2024-03-18 14:06 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.62 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-109 | 190 Flush | 2024-03-18 14:07 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.20 | | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-110 | 191 Initial | 2024-03-18 14:08 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 4.50 | | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-111 | 193 Initial | 2024-03-18 14:09 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.81 | | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-112 | 194 Initial | 2024-03-18 14:09 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 52.7 | | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-113 | 194 Flush | 2024-03-18 14:10 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.79 | | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-114 | 195 Initial | 2024-03-18 14:10 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.38 | | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-115 | 196 Initial | 2024-03-18 14:11 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.98 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-116 | 196 Flush | 2024-03-18 14:12 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.48 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-117 | 197 Initial | 2024-03-18 14:13 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.45 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-118 | 198 Initial | 2024-03-18 14:14 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 2.85 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-119 | 199 Initial | 2024-03-18 14:15 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.36 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-120 | 200 Initial | 2024-03-18 14:16 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 4.61 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-121 | 200 Flush | 2024-03-18 14:17 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.78 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:05 | FR |
| 181587-122 | 201 Initial | 2024-03-18 14:17 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 23.0 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:05 | FR |
| 181587-123 | 201 Flush | 2024-03-18 14:18 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 1.18 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:05 | FR |
| 181587-124 | 202 Initial | 2024-03-18 14:18 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 8.56 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:05 | FR |
| 181587-125 | 203 Initial | 2024-03-18 14:19 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 3.96 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:05 | FR |
| 181587-126 | 205 Initial | 2024-03-18 14:19 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 73.2 | µg/L | 1 | 0.20 | | | Apr 08, 2024 09:05 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-127 | 205 Flush | 2024-03-18 14:20 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 6.04 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-128 | 206 Initial | 2024-03-18 14:20 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.48 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-129 | 207 Initial | 2024-03-18 14:20 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 2.51 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-130 | 207 Flush | 2024-03-18 14:21 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.06 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-131 | 208 Initial | 2024-03-18 14:22 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 12.8 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| 181587-132 | 209 Initial | 2024-03-18 14:22 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 6.60 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-133 | 211 Initial | 2024-03-18 14:23 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 15.0 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-134 | 211 Flush | 2024-03-18 14:24 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.53 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-135 | 212 Initial | 2024-03-18 14:24 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 16.5 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-136 | 212 Flush | 2024-03-18 14:25 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.10 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-137 | 213 Initial | 2024-03-18 14:26 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 6.15 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-138 | 214 Initial | 2024-03-18 14:26 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 13.5 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-139 | 215 Initial | 2024-03-18 14:26 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.03 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-140 | 215 Flush | 2024-03-18 14:27 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.30 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-141 | 216 Initial | 2024-03-18 14:27 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 30.9 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-142 | 217 Initial | 2024-03-18 14:27 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 10.2 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-143 | 217 Flush | 2024-03-18 14:28 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.63 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-144 | 219 Initial | 2024-03-18 14:28 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 61.9 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-145 | 220 Initial | 2024-03-18 14:28 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 34.5 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-146 | 220 Flush | 2024-03-18 14:29 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 57.0 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-147 | 221 Initial | 2024-03-18 14:30 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.44 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-148 | 223 Initial | 2024-03-18 14:32 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-149 | 223 Flush | 2024-03-18 14:33 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.07 | µg/L | 1 | 0.20 | Apr 08, 2024 09:05 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-150 | 225 Initial | 2024-03-18 14:33 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 151 | µg/L | 10 | 2.0 | Apr 08, 2024 09:05 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-151 | Sample Date 2024-03-18 14:33 |
| Sample Description 226 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|-----|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 2.30 | | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|-------------------------------------|-------------------------------------|
| Reference Number 181587-152 | Sample Date 2024-03-18 14:34 |
| Sample Description 226 Flush | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|-----|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.25 | | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-153 | Sample Date 2024-03-18 14:34 |
| Sample Description 227 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|-----|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 139 | | 10 | 2.0 | Apr 09, 2024 09:44 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-154 | Sample Date 2024-03-18 14:34 |
| Sample Description 228 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|-----|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 40.3 | | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-155 | Sample Date 2024-03-18 14:35 |
| Sample Description 229 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|-----|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 29.0 | | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|-------------------------------------|-------------------------------------|
| Reference Number 181587-156 | Sample Date 2024-03-18 14:36 |
| Sample Description 229 Flush | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|-----|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 2.30 | | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-157 | 230 Initial | 2024-03-18 14:36 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 1.41 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-158 | 231 Initial | 2024-03-18 14:36 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 1.87 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-159 | 231 Flush | 2024-03-18 14:37 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.27 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-160 | 233 Initial | 2024-03-18 14:50 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 4.70 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-161 | 234 Initial | 2024-03-18 14:50 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.76 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-162 | 234 Flush | 2024-03-18 14:51 | Drinking Water | | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.25 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-163 | 235 Initial | 2024-03-18 14:51 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.54 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-164 | 236 Initial | 2024-03-18 14:52 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.58 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-165 | 237 Initial | 2024-03-18 14:52 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.40 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-166 | 237 Flush | 2024-03-18 14:53 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-167 | 238 Initial | 2024-03-18 14:53 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.76 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-168 | 239 Initial | 2024-03-18 14:53 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 2.03 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-169 | 240 Initial | 2024-03-18 14:54 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.36 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-170 | 241 Initial | 2024-03-18 14:54 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.82 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-171 | 242 Initial | 2024-03-18 14:54 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 144 | µg/L | 10 | 2.0 | Apr 09, 2024 09:44 | FR | |
| 181587-172 | 242 Flush | 2024-03-18 14:55 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.80 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-173 | 243 Initial | 2024-03-18 14:55 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 6.61 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-174 | 243 Flush | 2024-03-18 14:56 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.24 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-175 | 244 Initial | 2024-03-18 14:57 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.13 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-176 | 245 Initial | 2024-03-18 14:57 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 2.50 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-177 | 246 Initial | 2024-03-19 08:21 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.71 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-178 | 247 Initial | 2024-03-19 08:21 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.45 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-179 | 248 Initial | 2024-03-19 08:22 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.97 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-180 | 248 Flush | 2024-03-19 08:23 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.82 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-181 | 249 Initial | 2024-03-19 08:23 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.73 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-182 | 251 Initial | 2024-03-19 08:23 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.51 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-183 | 251 Flush | 2024-03-19 08:24 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-184 | 252 Initial | 2024-03-19 08:25 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.97 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-185 | 253 Initial | 2024-03-19 08:25 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.13 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-186 | 254 Initial | 2024-03-19 08:25 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 4.14 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-187 | Sample Date 2024-03-19 08:26 |
| Sample Description 255 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.62 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|-------------------------------------|-------------------------------------|
| Reference Number 181587-188 | Sample Date 2024-03-19 08:27 |
| Sample Description 255 Flush | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.69 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-189 | Sample Date 2024-03-19 08:27 |
| Sample Description 256 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 26.1 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-190 | Sample Date 2024-03-19 08:30 |
| Sample Description 257 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 3.33 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-191 | Sample Date 2024-03-19 08:30 |
| Sample Description 258 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 4.61 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-192 | Sample Date 2024-03-19 08:30 |
| Sample Description 259 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 1.88 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-193 | 259 Flush | 2024-03-19 08:31 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.52 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-194 | 260 Initial | 2024-03-19 08:31 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 8.56 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-195 | 261 Flush | 2024-03-19 08:32 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.74 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-196 | 262 Initial | 2024-03-19 08:33 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.21 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-197 | 263 Initial | 2024-03-19 08:33 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 2.08 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-198 | 264 Initial | 2024-03-19 08:34 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 4.28 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-199 | 264 Flush | 2024-03-19 08:35 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.30 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-200 | 265 Initial | 2024-03-19 08:35 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-201 | 266 Initial | 2024-03-19 08:35 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.76 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-202 | 266 Flush | 2024-03-19 08:36 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.35 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-203 | 268 Initial | 2024-03-19 08:39 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 16.5 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-204 | 268 Flush | 2024-03-19 08:40 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.77 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-205 | 269 Initial | 2024-03-19 08:41 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 74.3 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-206 | 270 Initial | 2024-03-19 08:41 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.53 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-207 | 270 Flush | 2024-03-19 08:42 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.40 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-208 | 271 Initial | 2024-03-19 08:42 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 53.0 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-209 | 272 Initial | 2024-03-19 08:42 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 5.78 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-210 | 273 Initial | 2024-03-19 08:43 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 147 | µg/L | 10 | 2.0 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-211 | 273 Flush | 2024-03-19 08:44 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.62 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-212 | 277 Initial | 2024-03-19 08:48 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 9.32 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-213 | 278 Initial | 2024-03-19 08:48 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.03 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-214 | 278 Flush | 2024-03-19 08:49 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.51 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-215 | 279 Initial | 2024-03-19 08:49 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.58 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-216 | 280 Initial | 2024-03-19 08:50 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 2.18 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-217 | 281 Initial | 2024-03-19 08:50 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.51 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-218 | 281 Flush | 2024-03-19 08:51 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.52 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-219 | 282 Initial | 2024-03-19 08:51 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.87 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-220 | 283 Initial | 2024-03-19 08:51 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.23 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-221 | 284 Initial | 2024-03-19 08:52 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 5.85 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-222 | 285 Initial | 2024-03-19 08:52 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.06 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-223 | 286 Initial | 2024-03-19 08:52 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 3.24 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-224 | 286 Flush | 2024-03-19 08:52 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.54 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-225 | 288 Initial | 2024-03-19 08:57 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 31.2 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-226 | 289 Initial | 2024-03-19 08:58 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 19.6 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-227 | 290 Initial | 2024-03-19 08:58 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 11.8 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-228 | 291 Initial | 2024-03-19 08:58 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 14.5 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-229 | 292 Initial | 2024-03-19 08:59 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 4.08 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-230 | 292 Flush | 2024-03-19 08:59 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.46 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-231 | 293 Initial | 2024-03-19 09:00 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 9.84 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-232 | 294 Initial | 2024-03-19 09:00 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 28.3 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-233 | 295 Initial | 2024-03-19 09:00 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 14.2 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-234 | 295 Flush | 2024-03-19 09:01 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.34 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-235 | 296 Initial | 2024-03-19 09:01 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 7.34 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-236 | 297 Initial | 2024-03-19 09:01 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 21.4 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-237 | 298 Initial | 2024-03-19 09:01 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 56.3 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-238 | 299 Initial | 2024-03-19 09:01 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 6.69 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-239 | 299 Flush | 2024-03-19 09:02 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.68 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-240 | 300 Initial | 2024-03-19 09:02 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 11.5 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--|--|--------------------------|------------------|
| 181587-241 | 300 Flush | 2024-03-19 09:03 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.41 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-242 | 301 Initial | 2024-03-19 09:06 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 2.29 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-243 | 301 Flush | 2024-03-19 09:07 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-244 | 302 Initial | 2024-03-19 09:10 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.27 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-245 | 302 Flush | 2024-03-19 09:10 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |
| 181587-246 | 303 Initial | 2024-03-19 09:11 | Drinking Water | | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | | | Analysis Start Date/Time | Analyst Initials |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.42 | µg/L | 1 | 0.20 | | | Apr 09, 2024 09:44 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-247 | 303 Flush | 2024-03-19 09:12 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-248 | 304 Initial | 2024-03-19 09:13 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.80 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-249 | 305 Initial | 2024-03-19 09:14 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.64 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-250 | 306 Initial | 2024-03-19 09:18 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.37 | µg/L | 1 | 0.20 | Apr 09, 2024 09:44 | FR | |
| 181587-251 | 307 Initial | 2024-03-19 09:25 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.39 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-252 | 307 Flush | 2024-03-19 09:25 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-253 | Sample Date 2024-03-19 09:26 |
| Sample Description 308 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR |

| | |
|-------------------------------------|-------------------------------------|
| Reference Number 181587-254 | Sample Date 2024-03-19 09:27 |
| Sample Description 308 Flush | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-255 | Sample Date 2024-03-19 09:30 |
| Sample Description 309 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-256 | Sample Date 2024-03-19 10:00 |
| Sample Description 310 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 1.31 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-257 | Sample Date 2024-03-19 10:01 |
| Sample Description 311 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | 0.22 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR |

| | |
|---------------------------------------|-------------------------------------|
| Reference Number 181587-258 | Sample Date 2024-03-19 10:02 |
| Sample Description 312 Initial | Sample Matrix Drinking Water |

| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials |
|--|--------|-------|------|----|------------|--------------------------|------------------|
| Metals - Total in Water by ICP-MS | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-259 | 313 Initial | 2024-03-19 10:03 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-260 | 313 Flush | 2024-03-19 10:04 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-261 | 314 Initial | 2024-03-19 10:05 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.33 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-262 | 315 Initial | 2024-03-19 10:05 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.53 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-263 | 316 Initial | 2024-03-19 10:08 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-264 | 316 Flush | 2024-03-19 10:08 | Drinking Water | | | | | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-265 | 317 Initial | 2024-03-19 10:09 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.77 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-266 | 318 Initial | 2024-03-19 10:09 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-267 | 319 Initial | 2024-03-19 10:09 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.22 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-268 | 320 Initial | 2024-03-19 10:10 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-269 | 321 Initial | 2024-03-19 10:10 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-270 | 322 Initial | 2024-03-19 10:10 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-271 | 322 Flush | 2024-03-19 10:11 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-272 | 323 Initial | 2024-03-19 10:12 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.79 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-273 | 324 Initial | 2024-03-19 10:12 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.35 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-274 | 325 Initial | 2024-03-19 10:12 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-275 | 326 Initial | 2024-03-19 10:13 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-276 | 326 Flush | 2024-03-19 10:13 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-277 | 327 Initial | 2024-03-19 10:14 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.58 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-278 | 328 Initial | 2024-03-19 10:14 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.79 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-279 | 329 Initial | 2024-03-19 10:18 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 1.15 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-280 | 329 Flush | 2024-03-19 10:18 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-281 | 330 Initial | 2024-03-19 10:19 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.27 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-282 | 330 Flush | 2024-03-19 10:20 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-283 | 332 Initial | 2024-03-19 10:24 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-284 | 332 Flush | 2024-03-19 10:25 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-285 | 333 Initial | 2024-03-19 10:30 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.39 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-286 | 334 Initial | 2024-03-19 10:30 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.23 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-287 | 335 Initial | 2024-03-19 10:32 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-288 | 335 Flush | 2024-03-19 10:33 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | | 181587-289 | | Sample Date | | 2024-03-19 10:35 | | | |
|--|--------|-------------|------|---------------|------------|--------------------------|------------------|--|--|
| Sample Description | | 336 Initial | | Sample Matrix | | Drinking Water | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.34 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | | |
| Reference Number | | 181587-290 | | Sample Date | | 2024-03-19 10:35 | | | |
| Sample Description | | 337 Initial | | Sample Matrix | | Drinking Water | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.71 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | | |
| Reference Number | | 181587-291 | | Sample Date | | 2024-03-19 10:40 | | | |
| Sample Description | | 338 Initial | | Sample Matrix | | Drinking Water | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.58 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | | |
| Reference Number | | 181587-292 | | Sample Date | | 2024-03-19 10:40 | | | |
| Sample Description | | 339 Initial | | Sample Matrix | | Drinking Water | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | 0.48 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | | |
| Reference Number | | 181587-293 | | Sample Date | | 2024-03-19 10:41 | | | |
| Sample Description | | 340 Initial | | Sample Matrix | | Drinking Water | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | | |
| Reference Number | | 181587-294 | | Sample Date | | 2024-03-19 10:41 | | | |
| Sample Description | | 340 Flush | | Sample Matrix | | Drinking Water | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | | |
| Metals - Total in Water by ICP-MS | | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-295 | 341 Initial | 2024-03-19 10:42 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-296 | 343 Initial | 2024-03-19 10:42 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.41 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-297 | 344 Initial | 2024-03-19 10:50 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-298 | 344 Flush | 2024-03-19 10:50 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-299 | 345 Initial | 2024-03-19 10:51 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| 181587-300 | 346 Initial | 2024-03-19 10:52 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 0.31 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |

Analytical Report

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
|--|--------------------|------------------|----------------|----|------------|--------------------------|--------------------------|------------------|
| 181587-301 | 347 Initial | 2024-03-19 10:54 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | 9.73 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-302 | 348 Initial | 2024-03-19 10:55 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-303 | 349 Initial | 2024-03-19 10:56 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |
| Reference Number | Sample Description | Sample Date | Sample Matrix | | | | Analysis Start Date/Time | Analyst Initials |
| 181587-304 | 349 Flush | 2024-03-19 10:57 | Drinking Water | | | | | |
| Analyte | Result | Units | Qal | DF | Nominal DL | Analysis Start Date/Time | Analyst Initials | |
| Metals - Total in Water by ICP-MS | | | | | | | | |
| Lead | Total | <0.20 | µg/L | 1 | 0.20 | Apr 09, 2024 09:45 | FR | |

Approved by: 
Megan Krauskopf
Project Manager

Methodology and Notes

| | | |
|--|---|-----------------------------|
| Bill To: 120 Water Audit PO Box 604 ZIONSVILLE, IN, United States 46077 | Project ID: 1930: Floyd Central High School | Lot ID: 181587 |
| Attn: Accounts Payable | Project Name: | Control Number: |
| Sampled By: VS | Project Location: | Date Received: Mar 27, 2024 |
| Company: | LSD: | Date Reported: Apr 10, 2024 |
| | P.O.: IFA_LIF_2019 | Report Number: 283067 |
| | Proj. Acct. code: | Report Type: Final Report |

Method of Analysis

| Method Name | Reference | Method | Date Analysis Started | Location |
|------------------------------|-----------|---|-----------------------|------------|
| Metals ICP-MS Total in water | EPA | Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8 | Apr 8, 2024 | Fort Wayne |
| Metals ICP-MS Total in water | EPA | Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8 | Apr 8, 2024 | Fort Wayne |
| Metals ICP-MS Total in water | EPA | Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8 | Apr 9, 2024 | Fort Wayne |
| Metals ICP-MS Total in water | EPA | Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8 | Apr 9, 2024 | Fort Wayne |

References

EPA United States Environmental Protection Agency

Please direct any inquiries regarding this report to our Client Services group.
Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.